ELS1014, Super P Cabinet with Integrated UPS Compartment



Description

The Eagle Super P cabinet secures and protects traffic management related electronic components from all forms of outdoor natural elements, including rain, sleet and snow. The Super P aluminum cabinet also includes a divided compartment to house a battery backup system, allowing for an uninterrupted power supply in the same enclosure, for ease of installation.

Options

- Special lock/keying combinations.
- Special paint per customer requirements.



Super P Cabinet (pictured with black finish)

Eagle Traffic Control Systems continues our 80+ year history of providing excellence in the ever evolving traffic industry. All of Eagle's products are developed with the highest standards of engineering and manufacturing. Eagle maintains a superior level of integrity in interactions with all of our business partners and customers. We also take tremendous pride in being model corporate citizens.

Eagle Traffic Control Systems is a division of:




736 Federal Street • Davenport, IA • 52803

8004 Cameron Road ● Austin, TX ● 78754

ELS1014, Super P Cabinet with Integrated UPS Compartment

Standard Door Specifications

- Both doors are provided with a three-point locking mechanism.
- ¾" diameter stainless steel outward turning handles with provisions for padlocking on both the controller compartment and battery compartment doors.
- Doors are equipped with an industrial standard pin tumblerlock with #2 key.
- Louvered inlets with filters to prevent dirt from entering with air flow.
- Closed-cell neoprene door seal gaskets used with polyester film to prevent sticking.
- Doors are mounted with four (4) stainless steel hinges utilizing a non-removable ¼" diameter hinge pin for door support, carriage bolted in place for ease of door removal.
- A 2" deep, fabricated switch compartment with a standard police lock and a 18-gauge stainless steel continuous hinge with a 1/8"diameter hinge pin riveted in place on both doors.
 Compartments are mounted flush to the door.





Standard Enclosure Specifications

- Completely fabricated from .125" thick type 5052-H32, mill finished aluminum utilizing intermittently welded construction, weatherproofed with silicone sealant.
- Internal attaching components include six (6) "C" channels, (3) per side, and three (3) slotted rails on the rear wall in the controller compartment and six (6) "C" channels, (2) per side and (2) on the rear wall in the battery backup compartment for attaching shelves and equipment panels.
- The door openings are double flanged on the top, bottom and sides to prevent water from entering the cabinet. The openings also include a mount for two door-operated switches.
- Thermo-convection air ventilation system utilized with provisions for mounting fan for forced air cooling.
- Exhaust outlet openings are provided under the roof over-hana.
- All internal and external hardware is fabricated from non-corrosive material.
- Adjustable 3/8" diameter stainless steel door stop can be latched in various positions.
- Two (2) shelves in the controller compartment and three (3) shelves in the battery backup compartment are included.
- Special fan panel in main compartment to catch dripping condensation and route it out exhaust outlet.
- Flush-mounted compartment located on back wall to allow for installation of generator plug. Compartment utilizes a police lock and includes a cord cutout so the compartment can be locked while a generator is plugged in.

Eagle Traffic Control Systems is a division of:

